





ST-RJ11-PASS-R-FT

RJ11 Pass Through Breakout Board with Rubber Feet



- Breaks out all 6 contacts
- Prototyping area for in-circuit modifications
- Easy access for probing and debugging
- Rubber feet provide a stable base

| Specifications | |
|-----------------------|----------------|
| Connector | 6P6C |
| Prototyping Hole Size | 0.040" |
| PCB Surface Finish | LF HASL |
| Temperature Rating | -15°C to +70°C |


This RJ11 pass-through breakout board provides a convenient method of accessing all the contacts of a 6P6C connector. Each of the 6 connections are brought out to a prototyping area to enable in-circuit modifications as well as easy probing and diagnostics. The prototyping grid has a standard 0.1" pattern to enable compatibility with a variety of components. The rubber feet on this model provide clearance for the connections on the bottom making it perfect for a lab environment where it can be placed directly on a bench.



ST-RJ11-PASS-R-FT

RJ11 Pass Through Breakout Board with Rubber Feet

Mechanical Drawings



Electrical Connections

Each pin of the RJ11 connector is electrically connected to a single row of the prototyping area and to the corresponding pin of the other RJ11 connector.



ST-RJ11-PASS

- Ordering Information

ST-RJ11-PASS- _____ - _____

Form Factor

FT: Rubber Feet
DIN: DIN Rail Mount
SPR: Spacers and Screws

Connector

R: Right Angle
S: Straight

Ordering

To order please visit www.schmalztech.com or one of our distributors to quickly place an online order.

Orders may also be placed by email or phone:

Email: sales@schmalztech.com

Phone: +1 (844) 399-9213

Expedited Shipping

If overnight shipping is required please contact us directly so that we can expedite your order. Overnight shipping is provided through UPS and will incur an additional charge

Custom Designs

Can't find what you need? We can design and produce a custom board to fit your exact needs. Please reach out to us for additional information and pricing.